



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/699,727	11/03/2003	Jonathan D. Root	1001.1426103	3544

28075 7590 05/03/2006

CROMPTON, SEAGER & TUFTE, LLC
1221 NICOLLET AVENUE
SUITE 800
MINNEAPOLIS, MN 55403-2420

EXAMINER

HO, UYEN T

ART UNIT	PAPER NUMBER
----------	--------------

3731

DATE MAILED: 05/03/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

e

Office Action Summary	Application No.	Applicant(s)	
	10/699,727	ROOT ET AL.	
	Examiner	Art Unit	
	Tan-Uyen T. Ho	3731	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 February 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 37-55 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 37-55 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect the 102 and 103 rejection in the previous office action to have been considered but are moot in view of the new ground(s) of rejection.

2. Applicants indicated that terminal disclaimer is provided with the Remarks filed 2/14/06. However, there is no terminal disclaimer being filed. A terminal disclaimer must be filed in order to overcome the obviousness-type double patenting rejections in the previous office action.

Applicants also disagree with the Examiner about the obviousness-type double patenting rejections because the absent potential term extension. However, the obviousness-type double patenting rejections made in the previous office action are not only prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent but the rejections also prevent possible harassment by multiple assignees. Therefore, a terminal disclaimer is required.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 37-55 are rejected under 35 U.S.C. 103(a) as being unpatentable over Barbut et al. (5,997,557) and further Barbut et al. in view of Winston et al. (6,228,076). Barbut et al. disclose all limitations of the claims except for a presence of the proximal edge of the expandable filter

Art Unit: 3731

being attached to the elongate member proximally of the distal end and the ablation device being a thermal, laser or microwave ablation device.

Regarding the proximal edge of the expandable filter being attached to the elongate member proximally of the distal end of the elongated member, it would have been obvious matter of design choice to modify the Barbut reference by having the expandable filter being attached to the elongate member proximally of the distal end of the elongate member, since applicant has not disclosed that the elongate member proximally of the distal end of the elongated member is for any particular purpose or to solve any stated problem and it appears that the device would perform equally well with the expandable filter being attached to the elongate member proximally of the distal end of the elongated member or the expandable filter being attached to the elongate member at the distal end of the elongated member.

Also the embodiment disclosed in figure 22 of Barbut '557 show a filter being attached to the elongate member at the distal end region such the filter proximal end attached to the elongate member at a proximally to the distal end to the distal end.

Regarding to the types of the ablation device as claimed, although, the Barbut et al. ablation device is not a thermal, laser or microwave ablation device, attention is directed to the Winston et al. reference which disclose an abnormal tissue ablation apparatus including a thermal, laser or microwave ablation device (col. 4, lines 13-40). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to employ a thermal, laser or microwave ablation device into the Barbut et al. apparatus wherein so doing would amount to mere substitution of one ablation device for another within the same art that would perform equally well in the Barbut et al. apparatus.

Double Patenting

5. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the “right to exclude” granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

6. Claims 37-55 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-20 of U.S. Patent No. 6,235,044. Although the conflicting claims are not identical, they are not patentably distinct from each other because the invention as claimed in the application is an obvious variant of the invention as claimed in the patent.

7. Claims 37-55 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-19 of U.S. Patent No. 6,673,090. Although the conflicting claims are not identical, they are not patentably distinct from each other because the invention as claimed in the application is an obvious variant of the invention as claimed in the patent.

Conclusion

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tan-Uyen T. Ho whose telephone number is 571-272-4696. The examiner can normally be reached on Multiflex Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anh-Tuan Nguyen can be reached on 571-272-3139. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3731

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Tan-Uyen T Ho
Primary Examiner
Art Unit 3731

April 30, 2006